·性能表

ポンプ型番	モータ出力	電源周波数	ポンプ揚程 m (流量 /min)								
	kW	Hz	0	30	50	60	80	100	120	140	170
05-RXAS-020TE	0.2	50	11.5	7.0	4.0	2.5	-	-	-	-	-
		60	13.0	9.0	6.5	5.0	-	-	-		-
10-RXAS-040TE	0.4	50	21.0	15.0	11.0	8.5	4.5	-	-	-	-
		60	23.0	17.5	14.0	12.0	9.0	-	-	-	-
15-RXAS-075J	0.75	50	25.0	19.0	15.0	13.0	9.0	5.0	-	-	-
		60	28.5	23.0	19.0	17.5	13.5	10.0	-	-	-
20-RXAS-150J	1.5	50	42.0	34.0	29.0	27.0	22.0	17.0	-	-	-
		60	48.0	42.0	37.5	36.0	31.5	27.0	-	-	-
05-RXASL-020TE	0.2	50	18.0	12.0	-	-	-	-	-	-	-
		60	21.0	15.0	-	-	-	-	-	-	-
10-RXASL-040TE	0.4	50	33.0	24.0	-	-	-	-	-	-	-
		60	40.0	30.0	-	-	-	-	-	-	-
15-RXASL-075J	0.75	50	42.0	30.0	22.0	-		-		-	-
		60	48.0	37.0	29.0	-		-		-	
20-RXASL-150J	1.5	50	57.0	48.0	42.0	-		-		-	
		60	65.0	56.0	50.0	-	-	-	-	-	-
20-RXASH-150J	1.5	50	27.0	23.0	20.0	19.0	16.0	13.0	10.0	7.0	-
		60	32.0	28.0	25.0	23.5	20.5	17.5	15.0	12.0	-
20-RXASH-220J	2.2	50	32.0	28.5	26.0	24.5	22.0	19.0	16.5	14.0	-
		60	35.0	32.5	31.0	30.0	28.0	26.5	25.0	23.0	-
32-RXASH-370J	3.7	50	50.0	45.0	41.0	39.5	36.0	32.5	29.0	25.5	20.0
		60	60.0	55.0	51.0	49.5	46.0	42.5	39.0	35.5	30.0
01-RS-010B	0.1	50	7.0	2.5	-	-	-	-	-	-	-
		60	8.0	5.0	-	-	-	-	-	-	-
05-RXAS-020B	0.2	50	11.5	7.0	4.0	-	-	-	-	-	-
		60	13.5	9.0	6.5	-	-	-		-	
10-RXAS-040B	0.4	50	21.0	15.0	10.5	8.5	-	-	-	-	-
		60	23.0	17.5	14.0	12.0	-	-	-	-	-
05-RXASL-020B	0.2	50	18.0	12.0	-	-	-	-	-	-	-
		60	21.0	15.0	-	-	-	-	-	-	-
10-RXASL-040B	0.4	50	33.0	24.0		-	-	-	-	-	-
		60	40.0	30.0	-	-	-	-	-	-	-

·性能曲線







